

PATENT ABSTRACTS OF JAPAN

AJ

(11)Publication number : 2003-093152

(43)Date of publication of application : 02.04.2003

(51)Int.Cl.

A45D 37/00
A47K 7/00
A61K 7/00
A61K 7/02
A61K 7/06
A61K 7/075
A61K 7/08
A61K 7/13
A61K 7/32
A61K 7/42
A61K 7/48
A61K 7/50
B32B 5/26
D06M 13/00
D06M 17/00
// A61K 9/70

(21)Application number : 2001-293235

(71)Applicant : LION CORP

(22)Date of filing : 26.09.2001

(72)Inventor : HIRABAYASHI NORITOSHI
UCHIDA ETSUKO
OTAGURO TAKAHIRO
INABA MIHOKO

(54) COSMETICS IMPREGNATED SHEET

(57)Abstract:

PROBLEM TO BE SOLVED: To provide a cosmetics impregnated sheet which is excellent in impregnating and retaining performance, has good skin touch during using, can efficiently immigrate effective components from the sheet to the skin, is excellent in UV preventing, moisture keeping, slimming, promoting blood circulation, whitening, etc., corresponding to the effective components.

SOLUTION: This cosmetics impregnated sheet is made by impregnating cosmetics into a fiber structure body with at least three layers of fiber structure comprising an inner layer comprising mainly hydrophobic fiber aggregate and upper and lower outer layers comprising mainly hydrophilic fiber aggregate.

【0066】

Table.11

| prescription | 23 | 24 | 25 |
|---|------------------|-------------------|-------------------|
| Polyoxyethylene(POE20)isostearyl ether | 1.00 | - | - |
| Methylsiloxane reticular polymer | 0.30 | - | - |
| Mentha Oil | 0.10 | - | - |
| 4-Guanidinobutyl lauroamide | - | 1.0 | - |
| L-coconyl arginine ethyl ester | - | 1.0 | - |
| N-Stearyl-N,N,N-trimethyammonium chloride | - | 1.0 | - |
| N-Behenyl-N,N,N-trimethyammonium chloride | - | 1.0 | - |
| Cetanol | - | 2.0 | - |
| Stearyl alcohol | - | 2.0 | - |
| Behenyl alcohol | - | 2.0 | - |
| Glycerin | - | 3.0 | - |
| Propylene glycol | - | 3.0 | 8.0 |
| Polyoxyethylene(POE20)lauryl ether | - | 0.1 | - |
| Sorbitan monostearate | - | 0.1 | - |
| Dimethylpolysiloxane(1000000 mpas·s) | - | 2.0 | - |
| Dimethylpolysiloxane(100000 mpas·s) | - | 2.0 | - |
| Methyl parahydroxybenzoate | - | A proper quantity | - |
| Acetic acid | - | A proper quantity | - |
| Glycolic acid | - | A proper quantity | - |
| Phosphoric acid | - | A proper quantity | - |
| Triisopropanolamine | - | A proper quantity | - |
| monolauryl-malicamide potassium salt | - | - | 7.0 |
| Pottasium laurate | - | - | 5.0 |
| Pottasium myristate | - | - | 5.0 |
| Pottasium palmitate | - | - | 4.0 |
| Lauryl dimethylamine oxide | - | - | 3.0 |
| Polagei NF(american clloid) | - | - | 0.5 |
| Hydroxyethylcellulose | - | - | 0.2 |
| Carboxyvinyl polymer | - | - | 1.0 |
| Pottasium chloride | - | - | 0.3 |
| Tetrasodium ethylenediaminetetraacetate terahydrate | - | - | 0.2 |
| Perfume | A proper uantity | A proper quantity | A proper quantity |
| Ethanol | 40.00 | - | - |
| Purified water | balance | balance | Balance |
| Total | 100.0 | 100.0 | 100.0 |